

Superior aspherical optics now combined with unmatched LED^{HQ} illumination





: HEINE BETA® 200/200 S LED Ophthalmoscopes Product Summary

I.EDHQ

The HEINE BETA® 200/200 S LED Ophthalmoscopes with the exclusive Aspherical Optical System (AOS) from HEINE eliminate corneal and iris reflexes to provide large, crisp and glare-free fundus images. Perfectly suitable for large or small pupils. All optical elements are mounted on an aluminum frame, which guarantees lifelong precision and durability. The brightness of the LEDHQ illumination can be continuously adjusted between 100% and 3% (patent pending).



PERFORMANCE FUNCTION DURABILITY





Performance Function Durability











THERMAL MANAGEMENT



HOMOGENEITY



RENDERING



DURABILITY

Feature

LED in HQ:


- : Approx. 3,500 K,CRI: 97, R9: > 93
- ⇒ Brightness control between 100 % and 3%
- : Lifetime of the LEDs: approx. 100,000 h

- No bulb exchange (cost saving, maintenance-free)
- Longer battery life
- : Failure free





Performance Function Durability



Feature

Exclusive Aspherical Optical System (AOS)

- Redirects corneal reflections away from the examiner's path of sight for a crisp, clear view of the fundus
- : Eliminates the need for filters and other systems that reduce resolution





Performance Function Durability



Feature

BETA 200 S:

28 single lenses Rekoss disc with 74 single diopter steps

- : Accommodates higher refractive errors
- Avoids extreme diopter jumps





Performance Function Durability



Feature

BETA 200 S:

7 apertures with separate red-free filter for 13 aperture combinations

Benefit

Diagnostic flexibility in large and small pupil situations





Performance Function Durability



Feature

BETA 200:

27 single lenses Rekoss disc

Benefit

Accommodates higher refractive errors





Performance Function Durability



Feature

BETA 200:

6 apertures with separate red-free filter

Benefit

Diagnostic flexibility in large and small pupil situations





Performance Function Durability



Feature

Recessed, multi-coated viewing window

- : Eliminates distractions
- : No stray light





Performance Function Durability



Feature

Precise one hand control

Benefit

Flexibility during examinations





Performance Function Durability



Feature

Exclusive dustproof design

- Protects the precision optical components
- : Maintenance-free operation





Performance Function Durability



Feature

Aluminium frame system

- : Eliminates misalignment
- : Shock-resistant





Performance Function Durability



Feature

5 years guarantee





Essentials



Exclusively at HEINE

- : LED in HQ
- : Aluminium frame system
- : Continuous brightness control



LED NOW IN HEINE QUALITY.





More information?

www.heine.com

